

MYIMAGE

PDF PATTERN S1026
Bag "Patty"



Difficulty:

1/5

Instructions:

English

Paper size:
**A4 and
US Letter**



—digital—
PDF
—pattern—



v1.0

General instructions

Thank you very much!

Thank you very much for choosing this pattern! Have you ever made PDF patterns before? No problem if you haven't; in about 2 minutes you will know exactly how it works!

Environment friendly!

There are several ways to offer PDF patterns and every designer has different ideas about it. To minimize wasting expensive ink, we have chosen to place the pattern pieces in a way that you need a minimum of A4/US letter pages.

You can choose between tracing the pattern pieces from the 9-page pattern sheet or print a couple more pages so you can start cutting immediately. We give you a choice, you decide!

Materials

Our PDF pattern sheet is very straightforward and easy to put together. For this you'll need the following:

- A4/US letter printer
- A4/US letter pages
- Paper scissors
- Roll tape
- Pencil/pen
- Pattern (tracing) paper

Choose your way

There are two ways to cut out the pieces:

A. You can create a **pattern sheet**, like the ones included with sewing magazines. Then trace the pieces and and cut them out.

- You only need 5 A4/US letter pages
- You can re-use the pattern sheet

B. You can **print all pieces separately**, so you can start cutting them immediately.

- It take less time in total

Both ways are described on the following page. Choose a way and follow the rest of the steps.

-- 5 cm. -->

IMPORTANT:

When printed this square must be exactly 5 x 5 cm. If it isn't, the PDF isn't printed at 100% size. Need help? Please email us!

<-- 5 cm. -->

From PDF to pattern pieces

1. Print this PDF file

IMPORTANT: Make sure you print the PDF at 100% size. Disable the option "Fit to Page".

After printing you can check the size by measuring the square on this page.

Tip: Want to save ink? Print the file without color.

2. Trim the edges of the paper

Trim the edges off the pages at the sides marked with **dotted lines**, see ✂

IMPORTANT: Trim **OVER** the dotted lines, to trim away the lines. Do this carefully and don't trim away parts of the pattern lines.

3. Lay the pages together and tape them

Place the sides with the same letters together; A to A, B to B, etc. Pick up a page, place it above or below the previous one and tape it together.

IMPORTANT: Place the pattern lines of all pages carefully against each other. All lines should fit smoothly.

Seam allowances

IMPORTANT: All pattern pieces are made **without** seam allowance. We advise to cut 1 to 1,5 cm. / 0.4 to 0.6" extra for seam allowance and 3 to 4 cm. / 1.2 to 1.6" for the seams.

Need help? No problem!

We have tried to make this pattern as simple as possible with the goal to give you more time for the fun part, the making of the garment itself!

But there is always room for improvement! If you have comments or questions about our patterns, please send an email to info@madebyoranges.com. We will try to help you as soon as possible!

More patterns & magazines!

Our PDF patterns, sewing pattern magazines and subscriptions can be found in our international webshop:

www.madebyoranges.com



My Image Edition 13




B-Trendy Edition 7



PDF Pattern S1021 "Nikita"

Pattern pieces layout



Choose your way

A. Create a pattern sheet

You need all pages once. Lay and tape the pages together, trace the pattern pieces and cut them out.

B. Create separate pattern pieces

To be able to cut out the pattern pieces immediately, you can print all pieces separately. For this way you need some pages printed out several times, see below.

Piece 1: p 5, 6, 8, 9

Piece 2: p 5, 6, 7

Print for each pattern piece the mentioned pages, lay the pages of each piece together and tape them. Now you can cut them out immediately.

Instructions

Difficulty: 1/5



Fabric usage:

125 cm.

Lining fabric usage:

125 cm.

Suggested fabrics:

- Cotton

Materials:

- Thread
- Snap button 1x

Pattern pieces:

1. Front/back 2x + lining 2x
2. Bottom/sides bag 1x + lining 1x

Cut to size:


(Sizes are without seam allowance)

A. Straps 90 x 4 cm. 2x


Instructions:

1. Stitch the bottom/side to the front and back of the bag. 2. Stitch the bottom/side to the front and back of the lining bag. Leave an opening to turn in the middle. 3. Stitch both bags along the top with the right sides together. Leave an opening between the marks on the pattern. 4. Turn the bag through the opening. 5. Close the opening. 6. Stitch a casing at the side along the indicated line on the pattern. 7. Stitch the straps together. 8. Stitch the straps with right sides facing. Leave an opening to turn in the middle. 9. Turn the strap to the right side. 10. Close the opening. 11. Thread the strap through the casing and stitch the ends on top of each other. 12. Sew a big snap button at the top of the inner bag.


Fabric layout




LINING / VOERING / FUTTER / DOUBLURE:



MY IMAGE PDF PATTERN
BAG “PATTY”





MY IMAGE PDF PATTERN
BAG "PATTY"


FABRIC FOLD / STOFFVUW / STOFFBRUCH / PLI D' and TISSU

6

D

B

A



C

MY IMAGE PDF PATTERN
BAG "PATTY"

E



MY IMAGE PDF PATTERN
BAG "PATTY"